



# 9532-2 32FT TYPE IA ALL FIBERGLASS ROUND RUNG EXTENSION LADDER

★★★★★ 0 Reviews

5 questions and 5 answers for this product

[Write a review](#) [Ask a question](#)

## OVERVIEW

SIZE	STYLE	APPROX. CLOSED LENGTH	REACH HEIGHT	LOAD CAPACITY
32ft	Specialty	199in	31ft	300lb

The 9532-2 All-Fiberglass 32ft Extension Ladder is ideal in highly-corrosive environments. Where most fiberglass Extension Ladders have aluminum rungs, the 9500-2 series has unique box-beam rails that are connected with a fiberglass pultruded rung. Nylon plugs interlock the entire rung-to-rail connections. Two heavy duty guide brackets are secured to the top of the base section for ease of operation. Thick rubber treads and spur plates provide a solid foundation at the foot. These ladders bear a duty rating of 300 pounds. NOTE: Image displayed is 9520-2 20ft Type IA All Fiberglass Round Rung Extension Ladder

[BUY NOW](#)

## FEATURES


- All Fiberglass rungs and rails ideal for harsh environments
- Unique box-beam rails are connected with a fiberglass rung
- Rail and rung are connected with reinforced nylon plugs that interlock the entire system
- Thick rubber treads and convenient spur plates provide a solid foundation
- Spring-assisted mechanism has polymer flippers for longer life and a quiet sliding action over the rungs
- Two heavy duty guide brackets are secured to the top of the base section
- Protective molded endcaps mounted at the top of the ladder

## SPECIFICATIONS

FEATURE	SIZE / DETAILS
Werner Benefit	All Fiberglass rungs and rails ideal for harsh environments
Size	32ft
Max. Safe Working Height	29ft
Max. Open Extended Length	29ft
Style	Specialty
Load Capacity	300lb
Duty Rating	Type IA Duty Rating
Material	Fiberglass
Color of Ladder Rail	Yellow
Rung Type	Round
Foot Material	Slip-resistant pad
Foot Design	Heavy duty shoe with slip-resistant tread and spur plate
Section x Rungs	2 x 16
Number of Sections	2
Base Width	19in outside shoes
Certifications	ANSI A14.5 (2007), OSHA
Max. Load	300lb
Approx. Closed Length	199in

## RESOURCES

- [View 9500-2 Series Page](#)
- [9500 Series Sell Sheet](#)
- [Ladder Safety Inspection Form](#)
- [Replacement Parts](#)



Approx. Product Width	19in
Reach Height	31ft
Approx. Shipping Weight (lb)	72
Approx. Product Weight (lb)	72
Approx. Cu. Ft. Per Unit	16

## ADDITIONAL 9500-2 SERIES MODELS

MODEL NO.	WERNER BENEFIT	SIZE	MAX. SAFE WORKING HEIGHT	MAX. OPEN EXTENDED LENGTH	STYLE	LOAD CAPACITY	BUY ONLINE
9516-2	All Fiberglass rungs and rails ideal for harsh environments	16ft	13ft	13ft	Specialty	300lb	<a href="#">BUY NOW</a>
9520-2	All Fiberglass rungs and rails ideal for harsh environments	20ft	17ft	17ft	Specialty	300lb	<a href="#">BUY NOW</a>
9524-2	All Fiberglass rungs and rails ideal for harsh environments	24ft	21ft	21ft	Specialty	300lb	<a href="#">BUY NOW</a>
9528-2	All Fiberglass rungs and rails ideal for harsh environments	28ft	25ft	25ft	Specialty	300lb	<a href="#">BUY NOW</a>
9532-2	All Fiberglass rungs and rails ideal for harsh environments	32ft	29ft	29ft	Specialty	300lb	<a href="#">BUY NOW</a>

★★★★★

Search topics and reviews		0 Reviews	5 Questions	5 Answers
---------------------------	--	-----------	-------------	-----------

## Reviews

★★★★★

Be the first to review this product

★★★★★

Search topics and reviews		0 Reviews	5 Questions	5 Answers
---------------------------	--	-----------	-------------	-----------

## Questions

[Ask a question](#)

1-5 of 5 Questions

Sort by: ▾

**John** · 2 years ago

**what is the price for the 18 or 20 ft. fiberglass type 1 ext. ladder**

**1**  
answer

Originally posted on 9520-2 20ft Type IA All Fiberglass Round Rung Extension Ladder

[Answer this Question](#)

**Werner Customer Care** · 2 years ago

You will have to contact your local distributor. Please go to the following link, to find a distributor in your area:  
<http://www.wernerco.com/us/en/where-to-buy>

Helpful? [Yes · 1](#) [No · 0](#) [Report](#)

**Catv3454** · 3 years ago

**How much does 28 foot fiberglass extension ladder weigh?**

**1**  
answer

How much does the ladder itself weigh? The last time i asked i was sent a link that would not open.

Originally posted on 9528-2 28ft Type IA All Fiberglass Round Rung Extension Ladder

[Answer this Question](#)

Answer this Question

**Customer Care** · 3 years ago

The 9528-2 weighs 64lbs.

Helpful? [Yes · 0](#) [No · 0](#) [Report](#)

**Brad** · 4 years ago

**What is the inside width of a Model 9520-1, how wide between the rails?**

**1**  
answer

Answer this Question

**Customer Care** · 4 years ago

The width would be 19".

Helpful? [Yes · 0](#) [No · 1](#) [Report](#)

**ashley the painter** · 6 years ago

**can this ladder be used at a 45 degree angle if half the ladder is on a roof and b it is secured at the base so it cant slip**

**1**  
answer

Answer this Question

**Customer Care** · 6 years ago

Werner Co extension ladders are designed and tested to be used at the proper angle of 75 degrees when the ladders is set up for use.

Helpful? [Yes · 0](#) [No · 0](#) [Report](#)

**randall** · 6 years ago

**i need 2 new flippers 9524-2**

**1**  
answer

Originally posted on 9500-2 Series Fiberglass Multi Section Extension Ladders

Answer this Question

**Customer Care** · 6 years ago

Replacement parts can be ordered through the Werner Co Replacement Parts Store. Please visit our website at [www.buywerneronline.com](http://www.buywerneronline.com) to order your desired replacement parts.

Helpful? [Yes · 0](#) [No · 0](#) [Report](#)

#### PRODUCTS

Ladders  
Multi Ladders  
Attic Ladders  
Scaffolds & Planks  
Fall Protection  
Specialty Products  
Featured Products

#### SUPPORT

Submit a Review  
Replacement Parts  
How To Choose a Ladder  
Fall Protection 101  
Literature  
Training  
FAQs

#### NEWS & RECALLS

News Releases  
Featured Videos  
Events  
Sponsorships  
Testimonials  
ProZone  
Image Library  
Recalls

#### COMPANY

Profile  
Why Werner  
Innovation  
Locations  
Careers  
Werner Gear  
Contact Us  
Legal Notices

#### CONNECT WITH US



**PROZONE**

**SIGN UP FOR PROZONE**